



eduresourceza.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

MARK SCHEME for the October/November 2012 series

0580 MATHEMATICS

0580/42

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to
soi	seen or implied

Qu.	Answers	Mark	Part Marks
1	(a) (i) 5	2	M1 for $\frac{3 \times 15}{(5 + 3 + 1)}$
	(ii) 108	2	M1 for $60 \times \frac{9}{5}$ oe
	(b) Correct conversion of money $J \times 0.718$ or $A \div 0.718$	M1	Correct conversion of money soi by 146.83[1] rounded or truncated to 3sf or 134.26[1...] rounded or truncated to 3 sf if done 1 st
	Correct equalising of weights e.g. $J \times \frac{2[0]}{3[0]}$ or $A \times \frac{3[0]}{2[0]}$ or $J \div 3$ and $A \div 2$ or $J \div 30$ and $A \div 20$	M1	Correct equalising of weights or money Accept other methods that give a pair of comparable values for method and accuracy marks This mark can be implied by values seen correct to 3 sf or better
	97 to 98 or 201[.39...] and Ann <u>48.9[4..]</u> and 48.2[0] and Ann or 68[.16] to 68.[2] and <u>67[.13]</u> and Ann 4.88... to 4.9 and 4.82 and Ann or 6.8[1..] to 6.82 and <u>6.7[1...]</u> and Ann www	A2	The underlined values imply M1 for the money conversion Or A1 for 97 to 98 or 201[.39...] or a correct pair of values with wrong/no conclusion
	(c) 302 Final answer	3	M1 for $60 \times 60 \times 4$ soi by 14400 or figs 6048 or figs 3024 and M1 for $\div (1000 \times 20)$ soi Answer 302.4 implies M2
	(d) 13.6[0]	3	M2 for $\frac{15.3[0]}{1.125}$ oe or M1 for 15.3[0] associated with 112.5%
	(e) 12	1	

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

2	(a) (i) $[\cos A =] \frac{32^2 + 64^2 - 43^2}{2 \times 32 \times 64}$ 37.00[...] (ii) 616 or 616.2 to 616.4... (b) $[\sin ADC =] \frac{64 \sin 55}{70}$ so by 48.49...rounded or truncated or $x^2 - (73.41 \text{ to } 73.42)x - 804 [= 0]$ $\frac{70 \sin(125 - \text{their } 48.5)}{\sin 55}$ or $64^2 + 70^2 - 2 \times 64 \times 70 \cos(125 - \text{their } 48.5)$ or solving their 3 term quadratic equation 228 or 228.0 to 228.1 www	M2 A2 2 M2 M2 A2	M1 for correct implicit version $43^2 = 32^2 + 64^2 - 2 \times 32 \times 64 \cos A$ A1 for $\frac{3271}{4096}$ or 0.798 to 0.799 M1 for $\frac{1}{2} \times 32 \times 64 \times \sin 37$ oe M1 for correct implicit version of sine rule or cosine rule with x M1 for implicit sine rule or cosine rule or for one error in quadratic solution Ignore negative solutions A1 for 83.0 to 83.1
3	(a) (i) $2(2x + 1)(x - 5)$ final answer (ii) $-1/2$oe , 5 (b) $\frac{[- -]7 \pm \sqrt{([- -]7)^2 - 4(2)(-10)}}{2(2)}$ -1.09 , 4.59 final answers	3 1ft B2 B1B1	B1 for $2(2x^2 - 9x - 5)$ and B1 for $(2x + 1)(x - 5)$ or SC2 for expansion of brackets gives 3 correct terms e.g. $(2x + 1)(2x - 10)$ or $(4x + 2)(x - 5)$ or SC1 for expansion of brackets gives 2 correct terms e.g. $(2x - 1)(2x + 10)$ or $(4x - 2)(x - 4)$ Correct or ft their 2 brackets B1 for $\sqrt{([- -]7)^2 - 4(2)(-10)} [= \sqrt{129}]$ If in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$, B1 for -- 7 and 2(2) or better If B0, SC1 for -1.1 and 4.6 as final answers or -1.089.. and 4.589.. as final answers or - 1.09 and 4.59 seen

(ii) 74	1ft	May be on diagram ft <i>their</i> (a)(i) $\div 2$ dep on (a)
(iii) 21	2	M1 for $360 - 90 - 143 - 32$ e.g. using quadrilateral AOO
(iv) 20.9 or 20.92...	3	M2 for $6 \tan 74$ oe or explicit Or M1 for implicit version
(i) 51	2	M1 for $ABC = 90^\circ$. May be
(ii) 56	2	M1 for $39 + 17$ or $180 - (73 + 17)$ or $[AXB =] 180 - (39 + 17)$
(iii) <u>Angle at centre twice</u> oe angle at <u>circumference</u>	1	
(iv) 22	1	
(v) 68.3 or 68.27 to 68.29	3	Allow $\frac{326}{15}\pi$ as final answer M2 for $\frac{360-34}{360} \times 2\pi \times 12$ or $2\pi \times 12 - \frac{34}{360} \times 2\pi \times 12$ or $\pi \times 12 + \frac{180-34}{360} \times 2\pi \times 12$ or M1 for use of $\frac{\theta}{360} \times 2\pi$


Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

5	(a) 20, 60, 100, 140, 180, 220 $(6 \times 20 + 10 \times 60 + 28 \times 100 + 76 \times 140 + 22 \times 180 + 16 \times 220)$ (= 21640) $\div 158$ or $\sum f$ 137 or 136.9 to 137.0	M1 M1	At least 5 correct mid - values soi $\sum fm$ where m is in the correct interval, allow either end of interval as m allow one further slip
	(b) (i) 16, 126 (ii) rectangular bar of height 0.2 rectangular bar of height 1.05 correct widths of 80 and 120 with no gaps (c) 135	M1 A1 1, 1 1ft 1ft 1 3	Depend on second method SC2 for 137 or better ww Strict fit from <i>their</i> 16 Strict fit from <i>their</i> 126 M2 for $\frac{15 \times 136 + 3 \times 130}{15 + 3}$ or M1 for 15×136 and 3×130 [2040] and [390]
6	(a) 5.83 or 5.830 to 5.831	2	Allow $\sqrt{34}$ as final answer M1 for $(3^2 + ([-]5)^2)$
	(b) (i) Vector drawn from P to Q at (14, 3) (ii) Points at (8, 11) and (13, 14)	1 1, 1	Must have arrow in correct direction SC1 for points at (8, 5) and (3, 2)
	(c) $3a - 2b$	2	M1 for $a - 3b + 2a + b$ or $\overrightarrow{CD} + \overrightarrow{DE}$ oe Allow mixtures of vector notation.
	(d) $\begin{pmatrix} 7 \\ -6 \end{pmatrix}$	1 1	
	(e) (i) $b - c$ oe	1	Allow unsimplified

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

	(ii) $MX = MB + BX$ $\pm \frac{1}{4}$ or $\pm \frac{3}{4}$ used $\frac{3}{4}c - \frac{1}{4}b$ or $\frac{1}{4}(3c - b)$ or $\frac{3c}{4} - \frac{b}{4}$	M1 Any order for the M marks For a correct route M1 A2 A1 for $\frac{1}{2}b + \frac{3}{4}(c - b)$ oe Any correct unsimplified After 0 scored SC2 for $2/3c - 1/6b$	
7	(a) (i) $x \geq 5$ $y \leq 8$ $x + y \leq 14$ $y \geq \frac{1}{2}x$ oe (ii) $x = 5$ ruled $y = 8$ ruled $x + y = 14$ ruled $y = \frac{1}{2}x$ ruled region indicated (b) (i) 480 (ii) 6, 8	4 B1 for each correct inequality Penalise the first occurrence only when strict inequalities used 1 1 1 1 1dep Each line long enough to be boundary of region Check at intercepts Check at (10, 5) Dependent on 4 lines correct 2 M1 for $20 \times x + 45 \times y$ where x and y are integers and (x, y) is in their quadrilateral 1 In correct order	
8	(a) (i) Tangent drawn at $x = 2.5$ (ii) 1.55 to 2.2 (b) 1.42 to 1.45 and 2.8 to 2.82 (c) (i) 4.4, 2.5, 1.5	1 reasonable tangent at correct point, no daylight, or chord, crossing x-axis between 1.7, 2.0 when extended if necessary 2dep Dependent on correct tangent or close attempt at tangent at $x = 2.5$ M1dep attempts y step / x step with correct scales 1, 1 2 B1 for 2 correct values	

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

	(ii) 6 correct points plotted curve through all 6 points and correct shape (iii) 0.75 to 0.9 1.6 to 1.7 2.6 to 2.7	P2ft C1 1 1 1	P1ft for 4 or 5 correct plots Smooth curve but last 3 points may be ruled. In absence of plot[s], allow curve to imply plot[s] Solutions may be in any order
9	(a) (i)  (ii) 9 (iii) 14 (iv) $\frac{11}{25}$ (v) $\frac{42}{600}$ oe $= \frac{7}{100}$	2 1ft 1 1ft 2ft	B1 for 2 outside of circles in diagram or all three of 5, 11, 7 correctly placed ft <i>their 2 + their 7</i> ft <i>their 11 from diagram / 25</i> isw incorrect cancelling ft <i>their 7 from diagram for numerator</i> M1 for $\frac{\text{their } 7}{25} \times \frac{\text{their } (7-1)}{24}$ After 0 scored, SC1 for $\frac{\text{their } 7}{25} \times \frac{\text{their } (7)}{25}$

Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

	(b) (i) (ii) 28	4 B1 for any correct diagram with blanks or zeros where needed and labelled unambiguously B1 for 4 in correct place B1 for 12 in correct place B1 for 5 and 7 in correct place
10	(a) (i) 20 (ii) $n - 4$ oe $n + 4$ oe $n + 6$ oe (iii) $(n - 4)(n + 4) - (n - 6)(n + 6)$ $n^2 - 4n + 4n - 16 - (n^2 - 6n + 6n - 36)$ or better 20 (b) (i) 24	1 Accept unsimplified 2 B1 for two correct M1 ft from their algebraic expressions can be implied by $n^2 - 4n + 4n - 16 - (n^2 - 6n + 6n - 36)$ or $n^2 - 16 - (n^2 - 36)$ Must have a line of algebra E1 With no errors or omission of brackets 1

Page 9	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0580	42

	(ii) $(n-5)(n+5) - (n-7)(n+7)$ isw or $n^2 - 25 - (n^2 - 49)$ isw or $n^2 - 25 - n^2 + 49$ isw	2	M1 for $n-5, n+5, n-7, n+7$ seen
	(c) $(11 \times 23) - (9 \times 25)$ $253 - 225$ [= 28]	E1	Allow algebraic solution from $(n-6)(n+6) - (n-8)(n+8)$
	(d) $4t$ oe	1	Accept unsimplified e.g. $n^2 - (t-1)^2 - [n^2 - (t+1)^2]$
	(e) $c = 28$ and $d = 30$ 52	1 1	