



eduresourceza.com



Education

KwaZulu-Natal Department of Education
REPUBLIC OF SOUTH AFRICA

**NATIONAL
SENIOR CERTIFICATE**

GRADE 12

PHYSICAL SCIENCES: CHEMISTRY (P2)

COMMON TEST

MARCH 2018

MARKS : 50

TIME : 1 Hour

This question paper consists of 8 pages including 2 data sheets.

INSTRUCTIONS AND INFORMATION TO CANDIDATES

1. Write your name and other information in the appropriate spaces on the ANSWER BOOK.
2. The question paper consists of FOUR questions. Answer ALL the questions in the ANSWER BOOK.
3. Start EACH question on a NEW page in the ANSWER BOOK.
4. Number the answers correctly according to the numbering system used in this question paper.
5. Leave one line between two sub-questions, for example between QUESTION 2.1 and QUESTION 2.2.
6. You may use a non-programmable pocket calculator.
7. You may use appropriate mathematical instruments.
8. You are advised to use the attached DATA SHEETS.
9. Show ALL formulae and substitutions in ALL calculations.
10. Round off your final numerical answers to a minimum of TWO decimal places where applicable.
11. Give brief motivations, discussions, et cetera where required.
12. Write neatly and legibly.

QUESTION 1: MULTIPLE – CHOICE QUESTIONS

Various options are provided as possible answers to the following questions. Choose the answer and write only the letter (A - D) next to the question number (1.1. – 1.4) in the ANSWER BOOK, for example 1.5 D.


1.1 Which ONE of the compounds represented below is an UNSATURATED hydrocarbon?

- A CH_2CHCH_3
- B $\text{CH}_3\text{CH}_2\text{CH}_3$
- C $\text{CH}_3(\text{CH}_2)_3\text{CH}_3$
- D $\text{CH}_3\text{C}(\text{CH}_3)_2\text{CH}_3$ (2)

1.2 A compound that is an isomer of methyl pentanoate is . . .

- A ethyl butanoate
- B pentanoic acid
- C hexane – 1,2 – diol
- D methyl methanoate (2)

1.3 The formula of an organic compound is given below:



The correct IUPAC name for the above compound is . . .

- A 1-bromo-2,3-dimethylbutane.
- B 1-bromo-2,3-dimethylpentane.
- C 1-bromo-3-ethyl-2-methylbutane.
- D 1-bromo-2-ethyl-3-methylpentane. (2)

1.4 Which ONE of the following statements is NOT TRUE?

- A Water is formed in condensation polymerisation.
 - B Addition polymers form more slowly than condensation polymers.
 - C The monomers of addition polymers contain carbon-carbon double bonds.
 - D The monomers of condensation polymers contain functional groups such as alcohols and carboxylic acids. (2)
- [8]**

QUESTION 2 (Start on a new page.)

Consider the following representation of organic compounds **A** to **H** listed in the table below to answer the questions that follow:

A	4-ethyl-2,2-dimethylhexane	B	$\text{CH}_3 - \text{CH}_2 - \text{CH}_2 - \overset{\text{O}}{\underset{\text{ }}{\text{C}}} - \text{H}$
C	$\begin{array}{ccccccc} & \text{H} & & \text{H} & & & \text{H} \\ & & & & & & \\ \text{H} - & \text{C} & - & \text{C} & - & \text{C} & - & \text{C} & - & \text{H} \\ & & & & & & & \\ & \text{H} & & \text{H} & & \text{O} & & \text{H} \end{array}$	D	$\text{CH}_3 - \text{CH}_2 - \overset{\text{O}}{\underset{\text{ }}{\text{C}}} - \text{O} - \text{CH}_2 - \text{CH}_3$
E	$\begin{array}{c} \text{CH}_3 \qquad \text{CH}_3 \\ \qquad \\ \text{CH}_2 - \text{C} - \text{Br} \\ \\ \text{CH}_3 \end{array}$	F	Pentane

2.1 Write down the:

2.1.1 Name of the functional group of compound C. (1)

2.1.2 General formula of the homologous series to which compound A belongs. (1)

2.1.3 Structural formula for compound A. (3)

2.1.4 Letter representing the compound which is an aldehyde. (1)

2.2 Write down the letters that represent TWO compounds that are FUNCTIONAL ISOMERS of each other, in the above table. (1)

2.3 Is compound E, a PRIMARY, SECONDARY or TERTIARY haloalkane? Give a reason for the answer. (2)

2.4 Compound D is prepared in the laboratory.

2.4.1 How can one quickly establish whether compound D is indeed formed? (1)

2.4.2 Write down the IUPAC name of the ORGANIC ACID required to prepare compound D. (2)

- 2.5 A 10,00g sample of compound F undergoes complete combustion. The equation below illustrates the reaction that occurs:



Calculate the volume of CO_2 that will be produced at 25°C , if the molar volume of CO_2 at this temperature is $24\,000,00\text{ cm}^3$.

(4)
[16]

QUESTION 3 (Start on a new page.)

An experiment was conducted to determine the boiling points of the isomers of C_5H_{12} . The following data was obtained:


ISOMER	BOILING POINT
Pentane	36°C
2-methylbutane	25°C
2,2 - dimethylpropane	10°C

- 3.1 For this investigation, write down the:
- 3.1.1 dependant variable. (1)
- 3.1.2 independent variable. (1)
- 3.2 Define *boiling point*. (2)
- 3.3 Explain fully the trend in boiling points as depicted in the table. (4)
- 3.4 Which compound, pentane or 2-methylbutane, has a lower vapour pressure? Give a reason for the answer. (2)
- 3.5 A learner observes, in another experiment, that although both propan-1-ol and ethanoic acid have the same molecular mass, their boiling points differ.
- 3.5.1 Which compound propan-1-ol or ethanoic acid will have the higher boiling point. (2)
- 3.5.2 Refer to the type and strength of the intermolecular forces to account for the difference in boiling points. (3)

[15]

QUESTION 4 (Start on a new page.)

In the flow diagram below, the letters X, Y and Z represent organic reactions, while the letters P and Q represent organic compounds.



4.1 Reaction X represents a substitution reaction.

4.1.1. Give a reason why reaction X CANNOT be an addition reaction. (1)

4.1.2 Write down the name of this substitution reaction. (1)

4.1.3 Write down the structural formula of compound Q. (2)

4.2 Write down the type of:

4.2.1 Elimination reaction represented by Z. (1)

4.2.2 Addition reaction represented by Y. (1)

4.3 For the reaction Z write down:

4.3.1 The name of the inorganic reagent needed. (1)

4.3.2 TWO reaction conditions needed. (2)

4.4 Write down the condensed structural formula of the POSITIONAL ISOMER of compound P. (2)

[11]

TOTAL MARKS: 50

**DATA FOR PHYSICAL SCIENCES GRADE 12
PAPER 2 (CHEMISTRY)**

**GEGEWENS VIR FISIESTE WETenskAPPE GRAAD 12
VRAESTEL 2 (CHEMIE)**

TABLE 1: PHYSICAL CONSTANTS/TABEL 1: FISIESTE KONSTANTES


NAME/NAAM	SYMBOL/SIMBOOL	VALUE/WAARDE
Standard pressure <i>Standaarddruk</i>	p^θ	$1,013 \times 10^5 \text{ Pa}$
Molar gas volume at STP <i>Molêre gasvolume by STD</i>	V_m	$22,4 \text{ dm}^3 \cdot \text{mol}^{-1}$
Standard temperature <i>Standaardtemperatuur</i>	T^θ	273 K
Charge on electron <i>Lading op elektron</i>	e	$-1,6 \times 10^{-19} \text{ C}$
Avogadro's constant <i>Avogadro-konstante</i>	N_A	$6,02 \times 10^{23} \text{ mol}^{-1}$

TABLE 2: FORMULAE/TABEL 2: FORMULES

$n = \frac{m}{M}$	$n = \frac{N}{N_A}$
$c = \frac{n}{V}$ or/of $c = \frac{m}{MV}$	$n = \frac{V}{V_m}$
$\frac{c_a V_a}{c_b V_b} = \frac{n_a}{n_b}$	$\text{pH} = -\log[\text{H}_3\text{O}^+]$
$K_w = [\text{H}_3\text{O}^+][\text{OH}^-] = 1 \times 10^{-14} \text{ at/by } 298 \text{ K}$	
$E_{\text{cell}}^\theta = E_{\text{cathode}}^\theta - E_{\text{anode}}^\theta / E_{\text{sel}}^\theta = E_{\text{katode}}^\theta - E_{\text{anode}}^\theta$ or/of $E_{\text{cell}}^\theta = E_{\text{reduction}}^\theta - E_{\text{oxidation}}^\theta / E_{\text{sel}}^\theta = E_{\text{reduksie}}^\theta - E_{\text{oksidasie}}^\theta$ or/of $E_{\text{cell}}^\theta = E_{\text{oxidising agent}}^\theta - E_{\text{reducing agent}}^\theta / E_{\text{sel}}^\theta = E_{\text{oksideermiddel}}^\theta - E_{\text{reduseermiddel}}^\theta$	

TABLE 3: THE PERIODIC TABLE OF ELEMENTS
TABEL 3: DIE PERIODIEKE TABEL VAN ELEMEN

KEY/SLEUTEL																																																																																																	
Atomic number Atoomgetal																																																																																																	
Electronegativity Elektronegatiwiteit																																																																																																	
Symbol Simbool																																																																																																	
Approximate relative atomic mass Benaderde relatiewe atoommassa																																																																																																	
1 (I)	2 (II)	3	4	5	6	7	8	9	10	11	12	13 (III)	14 (IV)	15 (V)	16 (VI)	17 (VII)	18 (VIII)	2 He 4																																																																															
1 H 1,0	3 Li 6,9	4 Be 9,0	9 F 18,9	10 Ne 20,1	11 Na 22,9	12 Mg 24,3	13 Al 26,9	14 Si 28,0	15 P 30,9	16 S 32,0	17 Cl 35,4	18 Ar 39,9	19 K 39,0	20 Ca 40,0	21 Sc 44,9	22 Ti 47,8	23 V 50,9	24 Cr 51,9	25 Mn 54,9	26 Fe 55,8	27 Co 58,9	28 Ni 58,7	29 Cu 63,5	30 Zn 65,3	31 Ga 69,7	32 Ge 72,6	33 As 74,9	34 Se 78,9	35 Br 79,9	36 Kr 83,8	37 Rb 85,4	38 Sr 87,6	39 Y 88,9	40 Zr 91,2	41 Nb 92,9	42 Mo 95,9	43 Tc 98,0	44 Ru 101,1	45 Rh 102,9	46 Pd 106,4	47 Ag 107,9	48 Cd 112,4	49 In 114,8	50 Sn 118,7	51 Sb 121,8	52 Te 127,6	53 I 126,9	54 Xe 131,3	55 Cs 132,9	56 Ba 137,3	57 La 138,9	58 Ce 140,1	59 Pr 140,9	60 Nd 144,2	61 Pm 145,0	62 Sm 150,4	63 Eu 152,0	64 Gd 157,3	65 Tb 158,9	66 Dy 162,5	67 Ho 164,9	68 Er 167,3	69 Tm 168,9	70 Yb 173,0	71 Lu 175,0	72 Hf 178,5	73 Ta 180,9	74 W 183,8	75 Re 186,2	76 Os 190,2	77 Ir 192,2	78 Pt 195,1	79 Au 197,0	80 Hg 200,6	81 Tl 204,4	82 Pb 207,2	83 Bi 208,9	84 Po 209	85 At 210	86 Rn 222	87 Fr 223	88 Ra 226	89 Ac 227	90 Th 232	91 Pa 231	92 U 238	93 Np 237	94 Pu 244	95 Am 243	96 Cm 247	97 Bk 247	98 Cf 251	99 Es 252	100 Fm 257	101 Md 288	102 No 289	103 Lr 260



Education

KwaZulu-Natal Department of Education
REPUBLIC OF SOUTHAFRICA

PHYSICAL SCIENCES: CHEMISTRY (P2)

COMMON TEST

MARCH 2018

MEMORANDUM

**NATIONAL
SENIOR CERTIFICATE**

GRADE 12

MARKS : 50

TIME : 1 hour

This memorandum consists of 4 pages.

The marking guidelines as per 2014 Examination Guidelines, pages 34-37 must be applied when marking this Paper.


eduresourceza.com

QUESTION 1

- 1.1 A ✓✓ (2)
 1.2 A ✓✓ (2)
 1.3 B ✓✓ (2)
 1.4 B ✓✓ (2)
[6]

QUESTION 2

- 2.1.1 carbonyl ✓ (Accept ketone group) (1)
 2.1.2 C_nH_{2n+2} ✓ (1)
 2.1.3 - 6 C parent chain ✓
 - all 3 branches correctly placed ✓
 - whole structure correct ✓



(3)

- 2.1.4 B ✓ (1)
 2.2 B and C ✓ (1)
 2.3 tertiary ✓
 The C that is bonded to the halogen group is bonded to three other carbon atoms ✓ (2)
 2.4.1 identify by odour/smell ✓ (1)
 2.4.2 propanoic acid ✓✓ (2)

$$\begin{aligned}
 2.5 \quad n(CO_2) &= 5n(C_5H_{12}) &= 5(m/M) \\
 & &= 5(10/72) \\
 & &= 0,694 \text{ mols} \checkmark
 \end{aligned}$$

$$\begin{aligned}
 n(CO_2) &= V/V_m \checkmark \\
 0,694 &= V/24 \checkmark \\
 V &= 16,656 \text{ dm}^3 \checkmark
 \end{aligned}$$

Mark allocation:
 Number of moles
 Formula
 substitution
 answer

(4)

[16]

eduresourceza.com

QUESTION 3

- 3.1.1 Boiling point ✓ (1)
- 3.1.2 length of carbon chain/surface area/branching ✓ *Don't accept isomer.* (1)
- 3.2 the temperature ✓ at which the vapour pressure of liquid equals the atmospheric pressure. ✓ (2)
- 3.3 The boiling point decreases from pentane to 2,2 – dimethylpropane.
 From pentane to 2,2 – dimethylpropane, the length of the carbon chain decreases/surface area decreases/number of branches increases. ✓
 The amount of London forces decreases ✓ resulting in weaker intermolecular ✓ forces that require less energy to overcome. ✓
OR
 The boiling point increases from 2,2 – dimethylpropane to pentane. *↑ reverse.*
 From 2,2 – dimethylpropane to pentane, the length of the carbon chain increases/surface area increases/number of branches decreases. ✓
 The amount of London forces increases ✓ resulting in stronger intermolecular ✓ forces that require more energy to overcome. ✓ (4)
- 3.4 pentane. ✓
 Has a higher boiling point, (As Vapour pressure increases the boiling Point decreases). ✓ *Accept IMF between pentane molecules.* (2)
- 3.5.1 ethanoic acid ✓✓ (2)
- 3.5.2 Propan-1 - ol has London forces and one Hydrogen Bond between adjacent molecules. Ethanoic acid has London forces and two Hydrogen Bonds between adjacent molecules. There are stronger intermolecular forces between ethanoic acid molecules. ✓ (3)
- [15]


eduresourceza.com

QUESTION 4

4.1.1 The reactant for X is saturated/contains only single bonds/contains no multiple Bonds between carbon atoms✓ (1)

4.1.2 Hydrolysis ✓ (1)

4.1.3



Accept condensed structural formula.

Functional group✓
Whole structure✓

(2)


4.2.1 dehydrohalogenation✓ (1)

4.2.2 hydration✓ (1)


4.3.1 sodium hydroxide/potassium hydroxide✓ (Name not formula). (1)

4.3.2 heat (strongly)✓
dissolve NaOH in ethanol/concentrated NaOH✓ (2)

4.4



OR



Must be condensed.

Functional group✓
Whole structure✓

(2)

[11]

TOTAL MARKS: [50]

eduresourceza.com